

POSTER I

| Ref. | Title | Authors | Page |
|------|--|--|------|
| P1 | The Transmission X-Ray Microscope Project at NSRL | S. Jiang , L. Chen, L. Wan, F. Xu | 85 |
| P2 | X-ray Microscope with a Gas-puff Plasma X-ray Source and Grazing Incidence Mirrors | A. Ohba , T. Nakano, S. Onoda, M. Sugiyama | 86 |
| P3 | The Magnetic Transmission X-ray Microscopy Project at BESSY II | T. Eimüller , U. Englisch, C. Wolter, R. Vatter, S. Seiffert, M. Bechtel, H. D. Carstanjen, G. Schütz | 87 |
| P4 | Low Energy-Electron-Excited X-ray Microscopy | K. Ueda | 88 |
| P5 | A setup for full-field soft x-ray microscopy at the Pohang Light Source | G. B. Kim, H. J. Shin , C. K. Hong, C. C. Hwang, J. G. Kim, K. W. Kim, K. S. Choi, K. H. Yoon, D. E. Kim | 89 |
| P6 | A new optical design for compact soft x-ray microscope | K. W. Kim , Y. M. Kwon, K. G. Kim, J. H. Kim, J. H. Min, J. H. Lim, K. Y. Nam, J. Y. Min, K. H. Yoon | 90 |
| P7 | Recent Progress of X-Ray Microscopy in Ritsumeikan SR Center | K. Takemoto , K. Okuno, J. Minemoto, B. Niemann, M. Hettwer, D. Rudolph, E. Anderson, D. Attwood, D. P. Kern, T. Okamoto, H. Kihara | 91 |
| P8 | Development of X-Ray Microscope at Ritsumeikan University Synchrotron Radiation Center | M. Kimura , K. Takemoto, H. Kihara | 92 |
| P9 | Nickel zone plates for compact x-ray microscopy | A. Holmberg , M. Lindblom, S. Rehbein, H. M. Hertz | 93 |
| P10 | Scanning Transmission X-ray Microscope with Three Axes Laser Interferometer at the NSLS | H. Fleckenstein , M. Feser, D. Flickinger, G. Flynn, B. Hornberger, C. Jacobsen, M. Lerotic, S. Wirick | 94 |
| P11 | Xradia's nano-XFI X-ray Fluorescence Imager for High Resolution Elemental Mapping | M. Feser , S. Seshadri, W. Yun, S. Wang, F. Duewer, A. Lyon | 95 |
| P12 | Nano-Positioning Control of Condenser Mirror for Soft X-ray Microscopy System Using 5-axis Manipulator | J. H. Kim , K. G. Kim, J. H. Min, K. W. Kim, Y. M. Kwon, J. Y. Min, K. H. Yoon | 96 |
| P13 | High resolution x-ray absorption spectroscopy using a laser-plasma radiation source | U. Vogt , T. Wilhein | 97 |
| P14 | Development of Algorithm for Automatic Alignment of Soft X-ray Microscope Condenser Mirror using Response Surface Method | T. Kim , D. Kang, H. You, S. Kang, D. G. Gweon, K. H. Youn | 98 |
| P15 | X-Ray Microscopy Activities at ACCEL | W. Diete , U. Wiesemann | 99 |
| P16 | Phase Contrast EUV microscope for EUV Mask Defect Inspection | H. Kinoshita , K. Hamamoto, Y. Tanaka, T. Watanabe, N. Hosokawa, N. Sakaya, M. Hosoya, T. Shoki | 100 |
| P17 | Development of a laser plasma x-ray microscope for Living hydrated biological specimens | M. Kado , H. Daido, Y. Yamamoto, K. Shinohara, M. C. Richardson | 101 |

| | | | |
|------------|--|--|------------|
| P18 | Hard X-ray Imaging Microscopy and Microbeam with Fresnel Zone Plate and Quasi-monochromatic Undulator Radiation | Y. Suzuki , A. Takeuchi, K. Uesugi, K. Inoue, H. Takano, T. Oka | 102 |
| P19 | X-ray Imaging Microscopy at 82 keV with Sputtered-sliced Fresnel Zone Plate Objective | Y. Suzuki , A. Takeuchi, K. Uesugi, M. Awaji, M. Yasumoto, S. Tamura, N. Kamijo | 103 |
| P20 | Present Status of Hard X-ray Micro-Imaging at BL24XU of SPring-8 | Y. Kagoshima , T. Koyama, A. Saikubo, K. Shimose, K. Hayashi, A. Nakagawa, H. Takano, Y. Tsusaka, J. Matsui | 104 |
| P21 | Development of Scanning Hard X-ray Microprobe for Element-Specific Magnetic Imaging at SPring-8 BL39XU | M. Takagaki , M. Suzuki, N. Kawamura, H. Mimura, T. Ishikawa | 105 |
| P22 | 3D-CT with MIRRORCLE-6X. | M. Sasaki , Y. Oda, J. Takaku, T. Hirai, H. Yamada | 106 |
| P23 | Precision Mechanical Design for a Hard X-ray Nanoprobe Instrument with Active Vibration Control in Nanometer Scale | D. Shu , J. Maser, B. Lai, S. Vogt, M. Holt, C. Preissner, A. Smolyanitskiy, B. Tieman, R. Winarski, G. B. Stephenson | 107 |
| P24 | Hard X-ray Microscopy and its Applications at Shanghai Synchrotron Radiation Facility | T. Q. Xiao , M. Chen, X. Wei, Y. Y. Luo, L. X. Liu, H. J. Xu | 108 |
| P25 | Scanning hard-X-ray microscope with spatial resolution better than 50nm using K-B mirror optics | S. Matsuyama , H. Mimura, H. Yumoto, H. Hara, K. Yamamura, Y. Sano, K. Endo, Y. Mori, M. Yabashi, Y. Nishino, K. Tamasaku, T. Ishikawa, K. Yamauchi | 109 |
| P26 | Combinatorial XAFS Imaging: Application to efficient screening of CO ₂ absorbent | H. Eba, K. Sakurai | 110 |
| P27 | A High Resolution Hard X-ray Imaging Facility at SSRL | P. Pianetta , K. Luening, E. Almeida, M. V. D. Meulen, J. Trent, W. Yun | 111 |
| P28 | State-of-the Art X-ray Tomography Imaging Using Laboratory Sources | W. Yun , F. Duewer, S. Wang, M. Feser, D. Scott, A. Lyon | 112 |
| P29 | Hard X-ray mirrors by multilayer replication: developments and application | H. Kunieda, A. Furuzawa, Y. Haba, Y. Ogasaka, R. Shibata , K. Tamura, Y. Tawara | 113 |
| P30 | Multilayer Fresnel Zone Plate at AIST and SPring-8 ----- high diffraction efficiency, high-energy x-ray region ----- | S. Tamura , M. Yasumoto, N. Kamijo, M. Awaji, A. Takeuchi, K. Uesugi, Y. Terada, Y. Suzuki, H. Takano | 114 |
| P31 | Optical properties of two-lens system on the base of hard X-ray zone plates | A. Kuyumchyan , S. Kouznetsov, A. Isoyan, V. Aristov, E. Shulakov, A. Snigirev, I. Snigireva, V. Kohn, M. Hagelstein | 115 |
| P32 | Progress of the Fabrication of Soft X-ray Phase Zone Plates at NSRL | Y. Liu , K. Xiao, X. Xu, Y. Hong, S. Fu | 116 |
| P33 | A Compound Refractive Lens for 175-keV for Magnetic Compton Profile Measurements at SPring-8 | A. Andrejczuk , Y. Sakurai, M. Itou | 117 |
| P34 | Hard X-ray Microbeam and Scanning Microscopy using Fresnel Zone Plate with 50 nm Outermost Zone Width | A. Takeuchi , Y. Suzuki, H. Takano, H. Takenaka | 118 |
| P35 | High-resolution Zone Plates Made with Wideband Extreme-Ultraviolet Holography | H. H. Solak, C. David , J. Gobrecht | 119 |

| | | | |
|------------|--|--|------------|
| P36 | The development of hard x-ray optics for MIRRORCLE-6X microscope beam line | T. Hirai , H. Yamada, T. Tokunaga, Y. Ogasaka, H. Yamashita, D. Hasegawa | 120 |
| P37 | Investigation of Soft X-ray Multilayer Mirror Fabrication by an In-Situ Ellipsometric Deposition Monitor | T. Tsuru , T. Harada, M. Yamamoto | 121 |
| P38 | The Hard x-ray Nanoprobe Beamline at the Advanced Photon Source | J. Maser , B. Stephenson, R. Winarski, C. Benson, D. Shu, B. Lai, S. Vogt, M. Holt, B. Tieman | 122 |
| P39 | Development of focusing optical system for 6 nm X-ray | Y. Takemura , N. Yamaguchi, Z. Takahashi, Y. Nishimura, T. Hara | 123 |
| P40 | Development of a Soft X-ray Telescope with an Adaptive Optics System | S. Kitamoto , J. Satoh, T. Watanabe, K. Sudoh, T. Kohmura, N. Yamamoto, Y. Ohkubo, A. Sekiguchi, K. Suga, H. Sekiguchi | 124 |
| P41 | Hard X-ray mapping and microscopy with lithographic CRL developed at ANKA Synchrotron radiation facility | V. Nazmov, E. Reznikova, J. Mohr, V. Saile, R. Simon | 125 |
| P42 | Fabrication and characterization of Depth-graded X-ray multilayers | Z. Wang , F. Wang, Z. Zhang, H. Wang, L. Chen | 126 |
| P43 | Fabrication of the beam splitters for 13.9nm x-ray laser applications | Z. Wang , Z. Zhang, W. Wu, L. Chen | 127 |
| P44 | Design of the broad angular multilayer analyzer for soft x-ray and extreme ultraviolet | H. Wang, Z. Wang , F. Wang, L. Chen | 128 |
| P45 | Wide-range reflection multilayer for normal-incident optics in the 200-25nm region | T. Ejima , A. Yamazaki, T. Banse, M. Watanabe | 129 |
| P46 | Phase change observation of EUV reflection multilayer by total electron yield X-ray standing wave method | T. Ejima , T. Harada, A. Yamazaki | 130 |
| P47 | Zone Plates with Optimized Zone Profiles | G. Denbeaux , R. Garg, T. Stoner, S. Wang | 131 |
| P48 | Accuracy Evaluation of the X-ray interferometer for EUVL Optics | K. Otaki , K. Sugisaki, M. Okada, Y. Zhu, Z. Liu, J. Saito, K. Murakami, C. Ouchi, S. Kato, M. Hasegawa, T. Hasegawa, A. Suzuki, M. Niibe | 132 |
| P49 | Xradia's Path To 25-nm X-ray Zone Plates For Hard X-ray Imaging | M. Feser , A. Lyon, X. Zeng, Y. Feng, W. Yun, F. Diewer | 133 |
| P50 | Diffraction efficiency of multi-level zone plate fabricated by sputtered-sliced method for hard X-ray focusing | M. Yasumoto , S. Tamura, N. Kamijo, Y. Suzuki, A. Takeuchi | 134 |
| P51 | Helical-undulator beamline for soft X-ray microspectroscopy at Saga LS | M. Yasumoto , K. Takemoto, E. Ishiguro, H. Kihara, N. Kamijo, Y. Chikaura | 135 |
| P52 | Egolov's Type X-ray Waveguide | P. Karimov, S. Okamoto, Y. Hosokawa, J. Kawai | 136 |
| P53 | Shutter Speed Function of Shortest Elapsed Time in Thickness Distribution Controlled Multilayer Deposition | T. Hatano | 137 |

| | | | |
|------------|---|--|------------|
| P54 | A fixed-exit high-efficiency Kirkpatrick-Baez micro-focusing optics for XAS and XRF microspectroscopy in the 6-13 keV X-ray energy range. | E. Ziegler , T. Bigault, A. Somogyi, C. Borel, C. Morawe, O. Hignette, G. Rostaing, P. V. Vaerenberg, J. Y. Massonnat | 138 |
| P55 | Easily replicable large aperture Fresnel lenses of highly regular structure for the micro-focusing of hard x-rays | W. Jark , F. Pérennès, M. Matteucci | 139 |
| P56 | Fabrication of a Condenser Mirror for a Soft X-Ray Microscope | K. S. Chon , Y. Namba, K. H. Yoon | 140 |
| P57 | Laser-plasma x-ray source using ceramic target | N. Yamaguchi , Y. Takemura, H. Shoyama, T. Hara | 141 |
| P58 | Ionization and explosion dynamics of atoms in clusters irradiated by ultrashort, intense laser pulses | Y. Fukuda , K. Yamakawa, T. Masaki, Y. Kishimoto | 142 |
| P59 | Laser-based debris-free x-ray sources for picosecond x-ray diffraction | Y. Fukuda, Y. Akahane, M. Aoyama, N. Inoue, K. Yamakawa , Y. Hironaka, K. G. Nakamura | 143 |
| P60 | Projection X-ray microscopy with MIRRORCLE-6X | H. Yamada , T. Hirai, M. Sasaki, D. Hasegawa, Y. Oda, J. Takaku | 144 |
| P61 | New Type of Targets for Projection X-Ray Microscopy of Samples consisting of light Elements | K. Yada , A. Ito, Y. Kinjyo | 145 |
| P62 | Liquid jet targets as a water-window radiation source | B. Kim , B. Ahn, D. J. Lee, J. G. Kim, D. E. Kim | 146 |
| P63 | Development of 50 Hz Laser-Produced Plasma Soft X-ray Source Using Tape-Target | Y. Nishimura , Z. Takahashi, A. Sakata, H. Azuma, Y. Takemura, N. Yamaguchi, T. Hara | 147 |
| P64 | Extreme ultraviolet emission characteristics of a laser-produced Li plasma | T. Higashiguchi , K. Kawasaki, W. Sasaki, S. Kubodera | 148 |
| P65 | High spatial resolution X-ray image detectors at SPring-8 | K. Uesugi , N. Yagi, Y. Suzuki | 149 |
| P66 | A New Area Detector for High-speed X-ray Diffraction Analysis and X-ray Imaging | T. Takeyoshi , M. Kuribatashi, M. Nonoguchi | 150 |
| P67 | Development of High Resolution Wide-band X-ray Detector: Scintillator-deposited Charge-coupled Device | K. Mukai , N. Tawa, T. Miyauchi, N. Anabuki, E. Miyata, H. Tsunemi, Y. Ogasaka, K. Tamura, R. Shibata, K. Miyaguchi | 151 |
| P68 | Development of X-ray CCDs for the NeXT satellite | D. Matsuura , H. Ozawa, N. Tawa, K. Mukai, T. Miyauchi, N. Anabuki, E. Miyata, H. Tsunemi, S. Takagi, T. Inui, H. Matsumoto, T. Tsuru, Y. Kamata, S. Miyazaki, K. Miyaguchi | 152 |
| P69 | High resolution Cs-concentration mapping by X-ray CT | S. Ikeda , T. Nakano, A. Tsuchiyama, K. Uesugi, Y. Suzuki, K. Nakamura, Y. Nakashima, H. Yoshida | 153 |

POSTER II

| Ref. | Title | Authors | Page |
|------|---|---|------|
| P70 | Mapping of intracellular light elements including Ca, P and S in mammalian cells by soft X-ray contact microscopy | A. Ito, Y. Ohno, K. Shinohara | 155 |
| P71 | STXM investigations of biological tissues | R. H. Fink, J Raabe, A.L.D. Kilcoyne, L.T. Wasserthal | 156 |
| P72 | Micro-CT of Pseudocneorhinus bifasciatus by projection x-ray microscopy | A. Tanisako, A. Hori, A. Okumura, C. Miyata, C. Kuzuryuu, H. Yoshimura | 157 |
| P73 | Quality Improvement of Soft X-Ray Image in FCSXRM ETL Mark III | T. Majima, K. Otani, T. Arai | 158 |
| P74 | X-ray Microscopy and Chromosome Research | Y. Kinjo, M. Watanabe, A. Ito, K. Shinohara | 159 |
| P75 | The 18ID BioCAT microprobe for X-ray imaging, microXAFS and microdiffraction studies on biological samples | R. A. Barrea, M. Davidson, J. Orgel, T. Weng, E. Kondrashkina, D. Gore, R. Heurich, M. Vukonich, T. C. Irving | 160 |
| P76 | X-ray CT and DEI images of the biological soft-tissue using synchrotron X-rays | D. V. Rao, Z. Zhong, T. Yuasa, T. Akatsuka, T. Takeda | 161 |
| P77 | Images of the rat bone and lumber vertebra using diffraction-enhanced imaging technique | D. V. Rao, Z. Zhong, T. Yuasa, T. Akatsuka, T. Takeda | 162 |
| P78 | Nickel Induced Lateral Crystallization of Amorphous Silicon Studied by SPESM | I. H. Hong, T. C. Hsu, M. L. Huang, C. H. Chen | 163 |
| P79 | Scanning Transmission X-ray Microscopy (STXM) of Onion-type Polymer Microspheres | H. D. H. Stöver, G. Gao, R. Takekoh, M. Srivastava, N. Burke, A. P. Hitchcock | 164 |
| P80 | Atomic Image around Mn Atoms in Diluted Magnetic Semiconductor Zn _{0.4} Mn _{0.6} Te Obtained by X-ray Fluorescence Holography | N. Happo, S. Hosokawa, K. Hayashi, Y. Takahashi, T. Ozaki, K. Horii, E. Matsubara | 165 |
| P81 | X-ray Microdiffraction for Polymer Materials at BL24XU of SPirng-8 | M. Kotera, Y. Kagoshima, T. Koyama, T. Nishino | 166 |
| P82 | Observation of Polymer Blends by X-Ray Phase Tomography | A. Momose, A. Fujii, Y. Suzuki, H. Kadowaki, Y. Nishikawa, H. Jinnai | 167 |
| P83 | Surface Engineering with SPEM | C. H. Chen, M. L. Huang, S. C. Wang, R. Klauser, M. Zharnikov | 168 |
| P84 | Characterization of soft matters and trace element analysis by X-ray microprobe at the Photon Factory | A. Iida | 169 |
| P85 | Characterization of Polyelectrolyte Hollow Microcapsules in water by X-Ray Microscopy | C. Déjugnat, T. Zemb, M. Dubois, K. Köhler, G. B. Sukhorukov, P. Guttman | 170 |
| P86 | Study of Surface Orientation of Carbon Alignment Layers by Polarized PEEM | Y. J. Hsu, C. H. Chen, H. F. Hsiao, W. H. Hung, D. H. Wei, X. Z. Yeh, W. L. Chen | 171 |
| P87 | Modulating the X-ray Polarization at a bending magnet for magnetic fullfield soft X-ray transmission microscopy | B. S. Kang, D. H. Kim, P. Fischer, D. Attwood, E. Anderson, G. Cho | 172 |

| | | | |
|-------------|---|--|------------|
| P88 | Domain structures of patterned Co thin films deposited on low-index Cu surfaces | Y. L. Chan , J. H. Sun, Y. J. Hsu, C. H. Chen, D. H. Wei | 173 |
| P89 | Diffraction-Enhanced X-ray Imaging of Hydride in Alpha-Titanium and Titanium Alloy | K. Mizuno , T. Kobayashi, F. Fujiki, H. Okamoto, Y. Furuya, K. Hirano | 174 |
| P90 | Evaluation of Hydrogen Diffusion in Alpha-Titanium by Diffraction-Enhanced X-ray Imaging Technique | H. Okamoto , K. Mizuno, T. Kobayashi, F. Fujiki, Y. Furuya, K. Hirano | 175 |
| P91 | Patterned magnetic multilayer studied by X-ray PEEM | Y. L. Chan, J. H. Sun, C. H. Chen, S. C. Wang, Y. J. Hsu, D. H. Wei | 176 |
| P92 | Soft x-ray spectromicroscopy of polymer blends and polymer nanocomposites | T. Araki , Y. Zou, H. W. Ade, A. L. David Kilcoyne, M. Si, E. Akashige, M. Rafailovich | 177 |
| P93 | Visualization of buried interfacial nanostructures using photoelectron emission microscopy | T. Taniuchi , T. Wakita, M. Suzuki, N. Kawamura, M. Takagaki, M. Kotsugi, H. Sato, T. Wakayama, K. Kobayashi, M. Oshima, H. Akinaga, K. Ono | 178 |
| P94 | Spectromicroscopic Characterization of Monomolecular Lithographic Patterns: the Effect of the Substrate | M. L. Huang , C. H. Chen, S. C. Wang, R. Klauser, M. Zharnikov | 179 |
| P95 | X-ray Emission Spectroscopy and Electron Microscopy of Mechanically-ground Graphite using Electron Probe Microanalyzer | M. Yamashita , K. Yamada, A. Fujimoto, Y. Muramatsu, T. Takahashi, M. Motoyama | 180 |
| P96 | A tentative model for the temperature gradient snow metamorphism and its validation on X-ray microtomographic data | F. Flin , J. B. Brzoska, R. A. Pieritz, B. Lesaffre, C. Coléou, Y. Furukawa | 181 |
| P97 | Quantitative analysis of environmental biofilms with STXM | J. J. Dynes, A. P. Hitchcock , J. R. Lawrence, G. G. Leppard | 182 |
| P98 | Soft X-ray STXM study of clay-salt interactions | W. P. Gates, A. P. Hitchcock | 183 |
| P99 | Prospects for Actinide STXM | T. Tylliszczak , H. J. Nilsson, L. Werme, D. K. Shuh | 184 |
| P100 | Acute Lung injury of mouse Caused by PM2.5 Aerosols studied by Synchrotron Microradiograph | G. Zhang , Y. Tong, M. Tan, Y. Li, J. Chen, Y. Hwu, W. L. Tsai, P. C. Hsu, J. H. Je, G. Margaritondo, W. Song, R. Jiang, Z. Jiang | 185 |
| P101 | Characterization of pH-responsive vinyl polymer/silica colloidal nanocomposite particles in the wet state by soft x-ray spectromicroscopy | T. Araki , H. W. Ade, S. Fujii, S. P. Armes | 186 |
| P102 | Cadmium Distribution in a Cadmium Hyperaccumulator Plant by micro-XRF imaging | A. Hokura , R. Onuma, N. Kitajima, I. Nakai, Y. Terada, T. Abe, H. Saito, S. Yoshida | 187 |
| P103 | Characterization of individual aerosol particles using an x-ray microprobe | S. Hayakawa , S. Tohno, C. J. Ma, Y. Nagai, T. Esumi, K. Yamane, A. Morikawa, T. Hitokawa | 188 |
| P104 | Arsenic Distribution and Speciation in the Arsenic Hyperaccumulator Fern by micro-XRF imaging and micro-XANES analysis | R. Onuma , A. Hokura, N. Kitajima, I. Nakai, Y. Terada, T. Abe, H. Saito, S. Yoshida | 189 |
| P105 | Three-dimensional iron mapping of cosmic dust samples using subtraction microtomography. | A. Tsuchiyama , K. Nakamura, K. Uesugi, T. Nakano, T. Noguchi, K. Nakamura, T. Nakamura, Y. Suzuki | 190 |

| | | | |
|-------------|--|--|------------|
| P106 | Hard X-ray Spectromicroscopy for Chemical and Structural Analysis of Selected Meteorites: Challenging Inhomogeneous Materials. | R. G. Cavell , R. Feng, M. A. Webb, A. McCready, C. Herd, R. A. Gordon | 191 |
| P107 | Study of fault rocks by X-ray microscopy | Y. F. Song , S. R. Song, M.-T. Tang, G. C. Yin, K. S. Liang | 192 |
| P108 | Measurement of the strain for the InGaAs layers grown on the step structure using x-ray microdiffraction | K. Izumi , T. Koyama, Y. Tsusaka, Y. Kagoshima | 193 |
| P109 | Mapping very similar chemical components in micron-scale organic rods by Scanning Transmission X-ray Microscopy | N. Iwata , K. Tani, A. Watada, H. Ikeura-Sekiguchi, T. Araki, A. P. Hitchcock | 194 |
| P110 | An energy tunable hard x-ray microscope for IC investigation | G. C. Yin , Y. F. Song, M. T. Tang, F. Duewer, W. Yun, K. S. Liang | 195 |
| P111 | Chemical Analysis of Rust on Japanese Smoked Roof Tiles using Soft X-Ray Spectroscopy | Y. Muramatsu , M. Hirose, M. Motoyama, E. M. Gullikson, R. C. C. Perera | 196 |
| P112 | Direct Micromachining of Inorganic Transparent Materials Using Laser Plasma Soft X-Rays | T. Makimura , H. Miyamoto, S. Uchida, H. Niino, K. Murakami | 197 |

POSTER III

| Ref. | Title | Authors | Page |
|-------------|--|---|------------|
| P113 | Trace Element Micro-Analysis by Transmission X-ray Microtomography using Absorption Edges | K. Okuno , T. Ohigashi, S. Kamiyama, S. Hirai, J. Matsubara, N. Watanabe, S. Aoki | 199 |
| P114 | Development of high speed microtomography system with high definition detector | K. Uesugi , T. Sera, N. Yagi, Y. Suzuki | 200 |
| P115 | High-Resolution X-Ray Imaging Microtomography with Fresnel Zone Plate Optics at SPring-8 | A. Takeuchi , K. Uesugi, Y. Suzuki, S. Tamura, N. Kamijo | 201 |
| P116 | CT reconstruction by diffraction correction in soft X-ray projection microscopy | T. Shiina , K. Hotta, Y. Tsuge, T. Honda, H. Yoshimura, Y. Kinjo, A. Ito | 202 |
| P117 | Depth of Field Techniques for 3-Dimensional Imaging | A. E. Sakdinawat , M. A. LeGros, W. Chao, E. H. Anderson, P. Fischer, D. Attwood | 203 |
| P118 | X-ray Fluorescence Scanning Microscope and Micro-Tomography with a Zone Plate | N. Watanabe , M. Sato, M. Hoshino, Y. Takeda, S. Aoki, A. Takeuchi, Y. Suzuki | 204 |
| P119 | Preliminary Results of Hard X-ray Phase-contrast Imaging | S. Jiang , Y. Chen, L. Chen, L. Wan, F. Xu | 205 |
| P120 | Refractive Contrast in X-ray Diffraction Enhanced Imaging | X. Jiang , L. Gang, Z. Chen, J. Tang | 206 |
| P121 | Contrast Enhance Imaging with Micro-focus X-ray Generator and CCD | K. Torii , H. Tsunemi | 207 |
| P122 | Recent development on X-ray phase contrast imaging in China | J. Chen , H. Gao, H. Zhu, H. Gan, R. Li, Z. Xu | 208 |
| P123 | Effect of Fresnel Illumination on Oversampling Iteration Method | Y. Kohmura , Y. Nishino, T. Ishikawa | 209 |
| P124 | Digital Phase Difference Amplification in X-ray Interferometer | H. Gao , J. Chen, H. Zhu, H. Gan, R. Li, Z. Xu | 210 |
| P125 | Development of an apparatus for speckle image observations near the X-ray diffraction spots using focusing beam. | T. Suzuki , H. Takano, A. Takeuchi, K. Uesugi, S. Shin, Y. Suzuki | 211 |
| P126 | Study of Matrix Effect with a Full-Field Imaging X-ray Fluorescence Microscope | T. Ohigashi , M. Hoshino, Y. Takeda, N. Yamada, T. Namiki, T. Ishino, N. Watanabe, S. Aoki | 212 |
| P127 | Integrated Image Projection and Detector Array for Real-time Quantitative Synchrotron XRF Elemental Imaging using the X-ray Microprobe | C. G. Ryan , D. P. Siddons, P. A. Dunn, B. E. Etschmann, S. Vogt, J. Maser, C. L. Harland | 213 |
| P128 | Reproduction of Hologram Image Using A Zone Plate for Hard X-ray Radiation | A. V. Kuyumchyan , A. Y. Souvorov, T. Ishikawa, A. A. Isoyan, V. V. Aristov, K. Trouni, E. Sarkisian | 214 |
| P129 | X-ray waveguide optics for x-ray in-line holo-microscopy | C. Fuhse, C. Ollinger, A. Jarre, T. Salditt | 215 |
| P130 | Phase Imaging with X-ray Talbot Interferometer Using Gratings Fabricated with LIGA Process | W. Yashiro , A. Momose, Y. Suzuki, T. Hattori | 216 |

| | | | |
|-------------|--|--|------------|
| P131 | Biomedical phase imaging using a grating interferometer | C. David , T. Weitkamp, T. Khan, F. Pfeiffer, O. Bunk, A. Diaz, T. Rohbeck, A. Groso, M. Stampanoni | 217 |
| P132 | Extreme Ultraviolet Phase Contrast Imaging | G. Denbeaux , A. Barty, Y. Liu, R. Garg, O. Wood | 218 |
| P133 | Development of a Large Angle X-ray Spreading Element for Projection X-ray Microscopy with undulator Light Source | M. Awaji | 219 |
| P134 | Submicron-Resolution X-ray Topography Using Fresnel-Zone-Plate Magnification | R. Tanuma , T. Kubo, A. Saito | 220 |
| P135 | Crystallinity Estimation of Strained-Si Wafers by Using Highly Parallel X-Ray Microbeam | Y. Tsusaka , K. Fukuda, N. Tomita, K. Hayashi, Y. Kagoshima, J. Matsui, A. Ogura | 221 |
| P136 | High Resolution X-Ray Inspection Microscope equipped with a Field Emission Gun and its Application | Y. Saito , H. Kai, K. Shirota, K. Yada | 222 |
| P137 | XFH study of dilute system using cooled APD | K. Hayashi , Y. Takahashi, E. Matsubara, I. Yonenaga, S. Kishimo | 223 |
| P138 | Spectroscopic Photoemission and Low Energy Electron Microscope (SPELEEM) at MAX-Lab | A. A. Zakharov , R. Nyholm, U. Johansson, J. Andersen, A. Mikkelsen | 224 |
| P139 | Scanning Transmission X-ray Microscopy with Momentum Analyzer | Y. Suzuki , A. Takeuchi, H. Takano | 225 |
| P140 | Scanning μ -x ray excited luminescence in semiconductors | G. Martinez-Criado , B. Alen, A. Homs, A. Somogyi, C. Miskys, J. Susini, R. Tucoulou | 226 |
| P141 | Evaluation of Hard X-Ray Con-Focal Optics | H. Takano , Y. Suzuki, K. Uesugi, A. Takeuchi | 227 |
| P142 | Towards table-top time-resolved soft x-ray microscopy imaging with a laboratory high-harmonic source at 100 eV | M. Wieland, T. Wilhein , C. Spielmann, U. Kleineberg, T. Westerwalbesloh, U. Heinzmann | 228 |
| P143 | Hard X-ray Interference Microscope with Two Zone Plates | N. Watanabe , M. Hoshino, M. Sato, Y. Takeda, T. Namiki, S. Aoki, A. Takeuchi, Y. Suzuki | 229 |
| P144 | Reflection Mode Imaging with High Resolution X-ray Microscopy | G. Denbeaux , P. Fischer, F. Salmassi | 230 |
| P145 | Projection-type micro X-ray fluorescence and diffraction imaging | K. Sakurai | 231 |
| P146 | Nanometer Focusing using Diffractive X-ray Optics | J. Maser , S. Vogt, B. Stephenson, A. Macrander | 232 |
| P147 | The focusing limits of Fresnel Zone Plate x-ray optics | F. Pfeiffer , C. Bergemann, J. F. van der Veen | 233 |
| P148 | Hard x-ray micro focusing with a single bounce multilayer optic | F. Pfeiffer , H. Keymeulen, A. Diaz, C. David, XenocsMember1, XenocsMember2, P. Høghøj | 234 |

| | | | |
|-------------|---|---|------------|
| P149 | Improving spatial resolution of x-ray microscopy using direct demodulation method. | G. Li, Z. Y. Wu, M. Ando, D.C. Xian | 235 |
| P150 | Design and Performance of Multilayer Coating on the Blazed Grating in 25 – 80 nm Region | K. Saito, Y. Kondo, H. Takenaka, J. Azuma, K. Takahashi, M. Kamada | 236 |
| P151 | Synchrotron infrared microspectroscopic imaging of biological sample | Y. C. Lee, C. I. Chen | 237 |
| P152 | High Sensitivity Chemically Amplified Resist for EUV Lithography | T. Watanabe, H. Kinoshita, H. Hada, H. Komano | 238 |

| Ref. | Title | Authors | Page |
|------|---|--|------|
| PD1 | Diffraction enhanced imaging of rat kidney | Z. Chen , L. Pan, G. Li , H. Li, Z. Wang, P. Zhu, T. Zhao, X. Jiang, Z. Wu, J. Tang | 241 |
| PD2 | Improvement in S/N Ratio of Our Soft X-ray Spectro-Reflectometer with a Laser-Produced Plasma Source | T. Ohigashi , M. Furudate, T. Harada, K. Kaminishi, M. Yamamoto | 242 |
| PD3 | Development of a Quarter-wave Plate near Carbon K-edge by Using Graphite | T. Hirono , H. Kimura | 243 |
| PD4 | Narrow Band Mo/Si EUV Multilayers with Thick Si Structures | T. Harada , T. Hatano, M. Yamamoto | 244 |
| PD5 | Distribution analysis of hydrophilic component in polysulfone hollow fiber using scanning transmission x-ray microscope (STXM) | J. Kikuma , A. P. Hitchcock | 245 |
| PD6 | An X-ray microscopy perspective on the effect of glutaraldehyde fixation on cells | S. Jearanaikoon , J. V. Abraham-Peskir | 246 |
| PD7 | Development of a High-Angular-Resolution Microdiffraction System for Reciprocal Space Map Measurements | S. Takeda , S. Kimura, M. Mizumaki, M. Takata, S. Mochizuki, A. Sakai, N. Taoka, O. Nakatsuka, M. Ogawa, S. Zaima | 247 |
| PD8 | Status of nanofabrication at ZonePlates.com | P. Charalambous | 248 |
| PD9 | Development of beam splitters for the EUV region | H. Takenaka , S. Ichimaru, E. M. Gullikson | 249 |
| PD10 | Microprobe EXAFS at the SRS | A. D. Smith , J. V. Flaherty, J. F. W. Mosslemans, I. Burrows, P. S. Stephenson, J. P. Hindley, W. J. Owens, G. Donaldson, C. M. B. Henderson | 250 |
| PD11 | X-ray refraction imaging of the lung and histological correlations | S. Jheon, H. T. Kim , J. K. Kim, H. S. Youn | 251 |
| PD12 | Analytical designing of two-aspherical-mirror anastigmats permitting practical misalignments for soft-X-ray imaging | M. Toyoda , M. Yamamoto, M. Yanagihara | 252 |
| PD13 | Status of the Cryo X-ray Microscope in Aarhus | J. V. Abraham-Peskir, H. K. Bechtold, N. Hertel, C. Knoechel , S. Pape-Moeller, R. Stapulionis | 253 |
| PD14 | A scanning microscope using laboratory X-ray sources | R. Früke, T. Wilhein , J. Kutzner, T. Witting, G. Tsilimis, H. Zacharias | 254 |
| PD15 | X-Ray Spectromicroscopy Studies of the Effect of Chain Length and Substrate Temperature on the Growth and Morphology of n-Alkane Thin Films | S. G. Urquhart , J. Fu | 255 |
| PD16 | CaPeRS and LOX: Photoemission Electron Spectromicroscopy at the Canadian Light Source | S. G. Urquhart , U. Lanke, P. Hitchcock, J. Stewart - Orientstein, A. P. Hitchcock, K. Kaznatcheev | 256 |
| PD17 | Industrial Applications of Scanning Transmission X-Ray Microscopy at The Dow Chemical Company | G. E. Mitchell | 257 |
| PD18 | Mach-Zehnder interference microscopy using X-ray laser | M. Nishikino , H. Kawazome, M. Tanaka, M. Kishimoto, T. Kawachi, N. Hasegawa, Y. Ochi, K. Nagashima | 258 |

| | | | |
|-------------|---|--|------------|
| PD19 | 2D and 3D Imaging of Breast Cancer and Lung Alveoli | K. Yamasaki , T. Kimura, A. Maksinenko, C.Obayashi, Y. Esumi, H. Sugiyama, G. Li, K. Sugimura, S. Maeda, E. Hashimoto, K. Hyodo, M. Ando | 259 |
| PD20 | Contact X-ray microscopy and micro-radiography on lithium fluoride detectors | S. Almayiva, G. Baldacchini, C. Bellecci, F. Bonfigli, A. Cricenti, A. Faenov, F. Flora , M. Francucci, P. Gaudio, A. Lai, T. Marolo, S. Martellucci, L. Mezi, R. M. Montereali, T. Pikuz, A. Reale, L. Reale, M. Richetta, A. Ritucci, A. Rydzy, G. Tomassetti, A. Ustione, M. A. Vincenti | 260 |
| PD21 | Detection of heavy metals in different biological samples | G. Baldacchini, C. Bellecci, F. Bonfigli, T. D. Borrello, A. Faenov, F. Flora , M. Francucci, P. Gaudio, A. Lai, T. Limongi, S. Martellucci, L. Mezi, R. M. Montereali, L. Palladino, T. Pikuz, A. Poma, A. Reale, L. Reale, M. Richetta, A. Ritucci, A. Rydzy, L. Spanò, G. Tomassetti, A. Tucci, M. A. Vincenti | 261 |
| PD22 | Development of high energy micro-XRF analysis using fresnel zone plate optics | Y. Terada , A. Takeuchi, Y. Suzuki, R. Onuma, K. Shirai, I. Nakai, N. Kamijo, S.Tamura | 262 |
| PD23 | Initial Development of a sub-micron Angle Resolved Photoemission Microscope | A. Bostwick , J. McChesney, G. Lapeyre, E. Rotenberg | 263 |